

# Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

# Report from London.

LONDON, ENGLAND, July 31, 1902.

SIR: I have the honor to report that for the week ended July 26, 1902, there were inspected and given bills of health at this port 5 vessels, and 27 members of the crew and cattlemen were vaccinated.

There were 7 deaths from smallpox in England, 20 less than last week, and 4 of these belonged to London. The admissions during the week were 23 cases, against 58, 51, and 48 for the three preceding weeks. According to the returns from the hospital for infectious diseases, there were 369 cases of smallpox, 2,486 of scarlet fever, 988 of diphtheria, and 305 of enteric fever under treatment at the close of the week. There were 459 cases of smallpox under treatment at the close of the preceding week.

According to recent dispatches relative to cholera in Egypt, there occurred 41 fresh cases of this disease in Cairo—with 35 deaths—on the 29th instant, 72 fresh cases and 14 deaths at Moucha, and 1 case at Gizeh.

Respectfully,

JOHN McMullen, Passed Assistant Surgeon.

The SURGEON-GENERAL.

#### GERMANY.

## Report from Berlin-Health of the city.

BERLIN, GERMANY, August 4, 1902.

SIR: I have the honor to inform you that for three years the mortality rate in Berlin has not been so low as it was for the week ended July 19 this year, amounting to only 12.8 per 1,000—that is to say, but two-thirds of that of the corresponding week of last year. London, Paris, Vienna, and most of the large German cities had higher death rates during the week in question; of 33 of the latter towns, only Altona, Elberfeld, Crefeld, Schöeneberg (12.7), and Charlottenburg (9.3) showed more favorable statistics than Berlin. Acute diseases of the intestines were of less frequent occurrence than during the foregoing six weeks, and caused 57 deaths. No important change occurred in the number of cases of acute diseases of the respiratory organs, which caused 33 deaths. Consumption claimed 66 victims. Eleven deaths resulted from measles and 4 from scarlet fever. A decrease was noticeable in the number of cases of diphtheria, 2 ending in death. Five persons died by violence, as compared with 20 during the foregoing week.

Respectfully,

FRANK H. MASON, United States Consul.

The Surgeon-General.

Plague and cholera in various countries.

BERLIN, GERMANY, August 1, 1902.

SIR: I have the honor to transmit the latest information regarding plague and cholera obtained from the imperial health office (Kaiserliches-Gesundheitsamt), Berlin.

#### Plague.

RUSSIA.—In Odessa, up to July 26, 4 plague cases have been registered. EGYPT.—During the period from July 11 to July 17, 17 cases of plague and 7 deaths were recorded, namely, 12 cases and 4 deaths in Alexandria, 1 case and 1 death in Tukh, and 4 cases and 2 deaths in Damanhur.

CHINA—Hongkong.—During the period from June 1 to June 14, 92

plague cases and 91 deaths were recorded.

QUEENSLAND.—According to the official bulletin there were recorded in Brisbane, during the week ended May 31, 4 plague cases and 1 death. Between June 1 and June 7 no fresh cases occurred.

## Plague and cholera.

BRITISH INDIA.—In Calcutta, during the week from June 15 to June 21, 56 persons died of plague and 31 of cholera.

#### Cholera.

EGYPT.—According to a communication of July 19, 96 cholera cases and 80 deaths have been reported in the village of Moucha.

CHINA—Hongkong.—During the period from June 1 to June 14, 21

cholera cases with 18 deaths were recorded.

DUTCH INDIA.—In the district of Soerabaya there were recorded during the period from June 1 to June 14, 148 cases of cholera and 79 deaths.

Respectfully,

FRANK H. MASON, United States Consul-General.

The SURGEON-GENERAL.

## GUATEMALA.

Weekly report of conditions and transactions at Livingston—Fruit port.

LIVINGSTON, GUATEMALA, August 5, 1902.

SIR: I have the honor to make the following report of the conditions and transactions at this port during the week ended August 5, 1902:

Present officially estimated population, 3,000. Number of cases and deaths from yellow fever during the week, none; number of cases and deaths from smallpox during the week, none; number of cases and deaths from typhus fever during the week, none; number of cases and deaths from cholera during the week, none; number of cases and deaths from plague during the week, none; number of deaths from other causes during the week, none. Prevailing disease, malarial fever. General sanitary condition of this port and the surrounding country during the week, good.

Bill of health was issued to the following vessel: August 5, steam-ship Geo. W. Kelley; crew, 18; passengers from this port, none; passengers in transit name; haggage disinfected, name

gers in transit, none; baggage disinfected, none.

Respectfully,

GUY A. DARCANTEL, For A. J. SMITH,

Acting Assistant Surgeon.

The SURGEON-GENERAL.